


0.5 Module Motor Gear

Plastic Motor Gear

Overview



SPECIFICATIONS

Teeth Range: $8 \leq Z \leq 18$, Pressure Angle: 20° , Bore Size=1.4mm/1.9mm

Material: Acetal

Part no.	Module	No of teeth	*Bore	Pitch dia.	Outside dia.	Face width
	m	Z	A	B	C	D
GM0.5-08-14	0.5	8	1.4	4	5	5
GM0.5-09-14	0.5	9	1.4	4.5	5.5	5
GM0.5-10-14	0.5	10	1.4	5	6	5
GM0.5-11-14	0.5	11	1.4	5.5	6.5	5
GM0.5-12-14	0.5	12	1.4	6	7	5
GM0.5-13-14	0.5	13	1.4	6.5	7.5	5
GM0.5-14-14	0.5	14	1.4	7	8	5
GM0.5-15-14	0.5	15	1.4	7.5	8.5	5
GM0.5-16-14	0.5	16	1.4	8	9	5
GM0.5-17-14	0.5	16	1.4	8.5	9.5	5
GM0.5-18-14	0.5	18	1.4	9	10	5
GM0.5-08-19	0.5	8	1.9	4	5	5
GM0.5-09-19	0.5	9	1.9	4.5	5.5	5
GM0.5-10-19	0.5	10	1.9	5	6	5
GM0.5-11-19	0.5	11	1.9	5.5	6.5	5
GM0.5-12-19	0.5	12	1.9	6	7	5
GM0.5-13-19	0.5	13	1.9	6.5	7.5	5
GM0.5-14-19	0.5	14	1.9	7	8	5
GM0.5-15-19	0.5	15	1.9	7.5	8.5	5
GM0.5-16-19	0.5	16	1.9	8	9	5
GM0.5-17-19	0.5	16	1.9	8.5	9.5	5
GM0.5-18-19	0.5	18	1.9	9	10	5

Remarks:

* The above bore size is for press-fit motor axis ($\varnothing 1.5\text{mm} / \varnothing 2\text{mm}$).

Unit: mm